

Corres. and Mail  
**BOX AF**



**MS AF**  
**REPLY UNDER 37 C.F.R. § 1.116**  
**EXPEDITED PROCEDURE**  
**EXAMINING GROUP 3754**

**PATENT**  
**2153-0128P**

**IN THE U.S. PATENT AND TRADEMARK OFFICE**

Applicant:	Douglas A. NEWBERG	Conf.:	3702
Appl. No.:	10/633,358	Group:	3754
Filed:	August 4, 2003	Examiner:	KEASEL, Eric S
For:	SANITARY DRAIN VALVE DESIGN		

**AMENDMENT AFTER FINAL UNDER 37 C.F.R. § 1.116**

**MS AF**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

February 7, 2005

Sir:

In response to the Office Action dated April 6, 2004, and further to the Notice of Appeal filed on October 6, 2004 and the Advisory Action dated January 18, 2005, the following amendments and remarks are respectfully submitted in connection with the above-identified application. It should be noted that the period for response was extended two months to February 6, 2005 (Sunday) by the Amendment dated January 11, 2005. In addition, it is noted that this Amendment is supplemental to the Amendment filed on January 11, 2005.

**This reply includes:**

**Amendments to the Claims; and**  
**Remarks.**

Do Not Enter  
EIK 11 FEB 2005